

EXHIBIT 19

1 0.000000 192.168.0.13 73.225.38.130 TCP 66 64430→17966 [SYN] Seq=0 Win=8192 Len=0 MSS=1460 WS=4 SACK_PERM=1
Frame 1: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 0, Len: 0

2 0.187852 73.225.38.130 192.168.0.13 TCP 66 17966→64430 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460 WS=256 SACK_PERM=1
Frame 2: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 0, Ack: 1, Len: 0

3 0.188001 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=1 Ack=1 Win=131400 Len=0
Frame 3: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 1, Ack: 1, Len: 0

4 0.188848 192.168.0.13 73.225.38.130 BitTorrent 122 Handshake
Frame 4: 122 bytes on wire (976 bits), 122 bytes captured (976 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 1, Ack: 1, Len: 68
BitTorrent

5 0.384818 73.225.38.130 192.168.0.13 BitTorrent 156 Handshake
Frame 5: 156 bytes on wire (1248 bits), 156 bytes captured (1248 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 1, Ack: 69, Len: 102
BitTorrent

6 0.385615 192.168.0.13 73.225.38.130 BitTorrent 244 Continuation data
Frame 6: 244 bytes on wire (1952 bits), 244 bytes captured (1952 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 69, Ack: 103, Len: 190
BitTorrent

7 0.871230 73.225.38.130 192.168.0.13 BitTorrent 283 Extended Bitfield, Len:0x2b
Frame 7: 283 bytes on wire (2264 bits), 283 bytes captured (2264 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 103, Ack: 69, Len: 229
[2 Reassembled TCP Segments (215 bytes): #5(34), #7(181)]
BitTorrent
BitTorrent

8 0.874128 192.168.0.13 73.225.38.130 TCP 249 [TCP Retransmission] 64430→17966 [PSH, ACK] Seq=69 Ack=332 Win=131068 Len=195
Frame 8: 249 bytes on wire (1992 bits), 249 bytes captured (1992 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 69, Ack: 332, Len: 195

9 1.105129 73.225.38.130 192.168.0.13 TCP 60 [TCP ACKed unseen segment] 17966→64430 [ACK] Seq=332 Ack=264 Win=65280 Len=0
Frame 9: 60 bytes on wire (480 bits), 60 bytes captured (480 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 332, Ack: 264, Len: 0

10 1.511207 73.225.38.130 192.168.0.13 BitTorrent 75 Port Unchoke Have, Piece (Idx:0x108)
Frame 10: 75 bytes on wire (600 bits), 75 bytes captured (600 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 332, Ack: 264, Len: 21
BitTorrent
BitTorrent

BitTorrent

11 1.702260 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=264 Ack=353 Win=131048 Len=0

Frame 11: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)

Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)

Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130

Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 264, Ack: 353, Len: 0

12 5.501640 192.168.0.13 73.225.38.130 BitTorrent 71 Request, Piece (Idx:0xd2,Begin:0x0,Len:0x4000)

Frame 12: 71 bytes on wire (568 bits), 71 bytes captured (568 bits)

Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)

Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130

Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 264, Ack: 353, Len: 17

BitTorrent

13 5.744951 73.225.38.130 192.168.0.13 TCP 60 17966→64430 [ACK] Seq=353 Ack=281 Win=65280 Len=0

Frame 13: 60 bytes on wire (480 bits), 60 bytes captured (480 bits)

Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)

Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13

Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 353, Ack: 281, Len: 0

14 5.745019 192.168.0.13 73.225.38.130 BitTorrent 71 Request, Piece (Idx:0xd2,Begin:0x4000,Len:0x4000)

Frame 14: 71 bytes on wire (568 bits), 71 bytes captured (568 bits)

Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)

Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130

Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 281, Ack: 353, Len: 17

BitTorrent

15 5.994781 73.225.38.130 192.168.0.13 TCP 60 17966→64430 [ACK] Seq=353 Ack=298 Win=65280 Len=0

Frame 15: 60 bytes on wire (480 bits), 60 bytes captured (480 bits)

Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)

Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13

Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 353, Ack: 298, Len: 0

16 6.667334 73.225.38.130 192.168.0.13 BitTorrent 1514 Have, Piece (Idx:0x4a) Have, Piece (Idx:0x27) Have, Piece (Idx:0x107) Have, Piece (Idx:0xf9) Have, Piece (Idx:0x148) Have, Piece (Idx:0x1d) Have, Piece (Idx:0x40) Have, Piece (Idx:0x1) Have, Piece (Idx:0x154)

Frame 16: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)

Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)

Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13

Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 353, Ack: 298, Len: 1460

BitTorrent

BitTorrent

BitTorrent

BitTorrent

BitTorrent

BitTorrent

BitTorrent

BitTorrent

BitTorrent

17 6.875393 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=1813 Win=131400 Len=0

Frame 17: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)

Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)

Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130

Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 1813, Len: 0

18 7.309390 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]

Frame 18: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)

Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)

Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13

Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 1813, Ack: 298, Len: 1460

19 7.514780 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=3273 Win=131400 Len=0

Frame 19: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)

Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)

Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130

Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 3273, Len: 0

20 7.933364 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 20: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
 Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
 Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 3273, Ack: 298, Len: 1460

21 8.139565 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=4733 Win=131400 Len=0
 Frame 21: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
 Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
 Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
 Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 4733, Len: 0

22 8.622537 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 22: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
 Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
 Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 4733, Ack: 298, Len: 1460

23 8.832466 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=6193 Win=131400 Len=0
 Frame 23: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
 Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
 Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
 Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 6193, Len: 0

24 9.062221 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 24: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
 Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
 Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 6193, Ack: 298, Len: 1460

25 9.282262 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=7653 Win=131400 Len=0
 Frame 25: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
 Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
 Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
 Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 7653, Len: 0

26 9.435412 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 26: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
 Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
 Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 7653, Ack: 298, Len: 1460

27 9.639720 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=9113 Win=131400 Len=0
 Frame 27: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
 Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
 Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
 Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 9113, Len: 0

28 9.743466 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 28: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
 Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
 Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 9113, Ack: 298, Len: 1460

29 9.963339 192.168.0.13 73.225.38.130 TCP 54 64430→17966 [ACK] Seq=298 Ack=10573 Win=131400 Len=0
 Frame 29: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
 Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
 Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
 Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 10573, Len: 0

30 10.009872 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 30: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
 Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
 Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 10573, Ack: 298, Len: 1460

31 10.203556 73.225.38.130 192.168.0.13 TCP 1514 [TCP segment of a reassembled PDU]
 Frame 31: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
 Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)

```

Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 12033, Ack: 298, Len: 1460
 32 10.203671      192.168.0.13      73.225.38.130      TCP      54      64430→17966 [ACK] Seq=298 Ack=13493 Win=131400 Len=0
Frame 32: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 13493, Len: 0
 33 10.470224      73.225.38.130      192.168.0.13      TCP      1514    [TCP segment of a reassembled PDU]
Frame 33: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 13493, Ack: 298, Len: 1460
 34 10.671005      192.168.0.13      73.225.38.130      TCP      54      64430→17966 [ACK] Seq=298 Ack=14953 Win=131400 Len=0
Frame 34: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 14953, Len: 0
 35 10.717350      73.225.38.130      192.168.0.13      TCP      1514    [TCP segment of a reassembled PDU]
Frame 35: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 14953, Ack: 298, Len: 1460
 36 10.916302      73.225.38.130      192.168.0.13      BitTorrent 1514    Piece, Idx:0xd2,Begin:0x0,Len:0x4000 Have, Piece (Idx:0x11b) Have, Piece (Idx:
0x10c) Have, Piece (Idx:0x141) Have, Piece (Idx:0x155) Have, Piece (Idx:0x3b) Have, Piece (Idx:0x13d) Have, Piece (Idx:0x13b) Have, Piece (Idx:0x11e)
Frame 36: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
Ethernet II, Src: 9e:8f:25:07:8b:a0 (9e:8f:25:07:8b:a0), Dst: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9)
Internet Protocol Version 4, Src: 73.225.38.130, Dst: 192.168.0.13
Transmission Control Protocol, Src Port: 17966, Dst Port: 64430, Seq: 16413, Ack: 298, Len: 1460
[12 Reassembled TCP Segments (16397 bytes): #16(1379), #18(1460), #20(1460), #22(1460), #24(1460), #26(1460), #28(1460), #30(1460), #31(1460), #33(1460), #35(1460),
#36(418)]
BitTorrent
BitTorrent
BitTorrent
BitTorrent
BitTorrent
BitTorrent
BitTorrent
BitTorrent
 37 10.916504      192.168.0.13      73.225.38.130      TCP      54      64430→17966 [ACK] Seq=298 Ack=17873 Win=131400 Len=0
Frame 37: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)
Ethernet II, Src: fa:f7:05:6b:3e:b9 (fa:f7:05:6b:3e:b9), Dst: de:4e:0a:1a:08:11 (de:4e:0a:1a:08:11)
Internet Protocol Version 4, Src: 192.168.0.13, Dst: 73.225.38.130
Transmission Control Protocol, Src Port: 64430, Dst Port: 17966, Seq: 298, Ack: 17873, Len: 0

```